

**\*Policy**

---

***\* This is a modified model policy from the Critical Policy Reference Manual (CPRM). It has been revised to include some of the requirements of the NJDOE Guidance: The Road Back: Restart and Recovery. The changes are highlighted below.***

OPERATION AND MAINTENANCE OF PLANT

The board of education is responsible for providing school facilities that are safe from hazards; sanitary; properly equipped, lighted and ventilated; and aesthetically suited to promoting the goals of the district. School buildings and site accommodations shall include provisions for individuals with disabilities pursuant to law and regulations.

The chief school administrator shall ensure the development and enforcement of detailed regulations for the safe and sanitary operation of the buildings and grounds. The regulations shall be reviewed and adopted by the board and provided to all staff annually at the beginning of each school year and when any revisions are formulated.

The chief school administrator and board secretary shall develop a multiyear comprehensive maintenance plan for board approval, to be updated annually.

The district shall ensure barrier free access for all students, staff and visitors to school facilities.

Work Order System

(NOTE: *This section, "Work Order System," applies to districts with three or more buildings.*)

The school district shall have an automated work order system for prioritizing, performing and recording all maintenance and repair request for all district buildings and grounds.

- A. The chief school administrator or designee shall establish in the standard operating procedures for business functions the approval and prioritization of work order requests which take into account the health and safety of building occupants, priorities and objectives established annually to carry out the district Strategic Plan, the need for the work requested, and other factors the district deems appropriate;
- B. The work order system shall include the following information for a request for work before work begins, except in an emergency where the work is necessary to correct a situation that poses an imminent threat to the health or safety of building occupants:
  - 1. The name of the person making the request;
  - 2. The date of the request;
  - 3. The appropriate approval(s) as established by Standard Operating Procedures (SOP);
  - 4. The date of approval(s);
  - 5. The location of work requested;
  - 6. The priority level (for example, urgent, high, average, low);
  - 7. The scheduled date(s) of service;
  - 8. The trade(s) needed such as general maintenance worker; custodian; carpenter; plumber; electrician; heating, ventilation and air conditioning (HVAC); grounds; roofer; masonry; glazer; other;
  - 9. A description of the work requested;
  - 10. A projection of the materials and supplies needed for the work;
  - 11. The estimated hours needed to complete task;
  - 12. The name of the work order assigner; and
  - 13. The name of the employee(s) working on the order.

OPERATION AND MAINTENANCE OF PLANT (continued)

- C. The work order system shall include the following close-out information for each request for work:
1. The actual hours worked by date for each assigned staff member;
  2. The actual hourly rate paid, both regular and over-time, for each assigned staff member;
  3. The aggregate cost of labor by regular, over-time and total;
  4. The actual materials and supplies needed to complete the work order;
  5. Actual cost of materials and supplies; and
  6. The name of the employee responsible for attesting that the job was completed satisfactorily.
- D. Except where prohibited by collective bargaining agreement, the SOP shall require for any work, which cannot be completed during regular working hours by the needed completion date, an assessment of the cost-benefit of outsourcing any such work in excess of the quote threshold as determined under N.J.S.A. 18A:18A-37;
- E. Where, according to the assessment, the cost of outsourcing work is less than the in-house estimated cost of labor, at over-time rates, and materials for the same work, the work shall be outsourced provided the work can be contracted in accordance with N.J.S.A. 18A:18A-1 et seq., completed by the projected completion date contained in the prioritized work order system and does not violate the terms of the collective bargaining agreement for maintenance workers and/or custodians;
- F. The business administrator/board secretary in consultation with the supervisor responsible for this work shall conduct an analysis of the information in the work order system no later than February 1 of the prebudget year for consideration during budget preparation. The analysis will include productivity of staff as a whole and individually, significant variations between estimated labor time and materials and actual labor time and materials, unusual trends for like projects and other factors that will improve productivity and efficiency.

Ventilation Systems

Schools and districts must ensure that their indoor facilities have adequate ventilation, including operational heating, and ventilation systems where appropriate. Recirculated air must have a fresh air component. Open windows must be available if air conditioning is not provided and filter(s) for A/C units must be maintained and changed according to manufacturer recommendations.

Facilities Cleaning Procedures to Reduce the Spread of Contagion

The building principal in consultation with the maintenance supervisor shall develop a procedure for increased, routine cleaning and disinfection. The procedure shall include cleaning/disinfecting schedules, targeted areas to be cleaned, and methods and materials to be used, and shall address:

- A. Routinely cleaning and disinfecting surfaces and objects that are frequently touched. This may include cleaning objects/surfaces not ordinarily cleaned daily (e.g., doorknobs, light switches, classroom sink handles, countertops). Examples of frequently touched areas in schools:
1. Classroom desks and chairs;
  2. Lunchroom tables and chairs;
  3. Door handles and push plates;
  4. Handrails;
  5. Kitchens and bathrooms;
  6. Light switches;

OPERATION AND MAINTENANCE OF PLANT (continued)

7. Handles on equipment (e.g. athletic equipment);
  8. Buttons on vending machines and elevators;
  9. Shared telephones;
  10. Shared desktops;
  11. Shared computer keyboards and mice;
  12. Drinking fountains;
  13. School bus seats and windows; and
  14. Playground equipment.
- B. Using all cleaning products in accordance with directions on the label. For disinfection most common EPA-registered household disinfectants should be effective. Whenever possible the list of products that are [EPA-approved for use against the virus that causes COVID-19](#) (available on the EPA's website) shall be used. The manufacturer's instructions for all cleaning and disinfection products (e.g., concentration, application method and contact time, etc.) shall be used.
- C. Sanitizing bathrooms daily, or between use as much as possible, using [protocols outlined by the Environmental Protection Agency \(EPA\)](#). Additional considerations regarding bathrooms include:
1. Limiting the number of students who can enter at one in order to avoid crowds;
  2. Designating staff members to enforce limited capacity and avoid overcrowding;
  3. Installing no-touch foot pedal trash cans, if possible;
  4. Propping doors open to avoid touching handles; and
  5. Including appropriate signage about the benefits of handwashing.
- D. Cleaning and sanitizing drinking fountains and encouraging staff and students to bring their own water to minimize the use and touching of water fountains;
- E. Making hand sanitizer available at the school bus entrance for each student to use when boarding. Similarly, students must be required to wear face coverings while riding on the bus if social distancing or physical barriers cannot be maintained;
- F. Maintaining hand-sanitizing stations with alcohol-based hand sanitizers (at least 60% alcohol):
1. In each classroom (for staff and older children who can safely use hand sanitizer);
  2. At entrances and exits of buildings;
  3. Near lunchrooms and toilets.
- G. Supervising children ages 5 and younger when using hand sanitizer;
- H. For classrooms with existing handwashing facilities, preparing stations with soap, water and alcohol-based hand sanitizers (at least 60% alcohol);
- I. Reminding bus drivers to take certain personal hygiene actions (e.g., frequent hand washing) and affording them the opportunity to do so (such as having sufficient time between routes);
- J. Cleaning and sanitizing district vehicles including seats, rails and any highly touched surfaces before each run.
- K. Requiring contracted transportation providers to clean and sanitize seats, rails and highly touched surfaces touched before each run. The district shall collaborate with the contracted service provider to develop these procedures and ensure that they are consistently followed; a checklist may be developed to ensure compliance. The contracted service provider shall collaborate with the district in establishing

OPERATION AND MAINTENANCE OF PLANT (continued)

cleaning/sanitation protocols that are consistent with social distancing practices. The contracted service provider shall ensure that employees are fully trained in the implementation of the established protocols:

1. All personnel responsible for cleaning school buses shall document the cleaning/sanitizing measures taken. Personnel are required to:
    - a. Demonstrate an understanding of the established protocols that must be taken to properly clean and sanitize the bus; and
    - b. Provide a certification that, before the route commenced, the required was process completed as required.
  2. The procedures will identify sanitizing agents that may be used and will be limited to products included on the U.S. Environmental Protection Agency's list of products that have shown to be effective against COVID-19.
  3. These procedures will likely include two stages: cleaning, which removes dirt and germs from surfaces, and disinfecting, which kills germs on surfaces that remain after cleaning.
- L. Routinely cleaning and disinfecting furniture, recognizing the varying materials used in furniture in each school building;
- M. Providing EPA-registered disposable wipes to teachers and staff so that commonly used surfaces (e.g., keyboards, desks, remote controls) can be wiped down before use;
- N. On a regular basis, ordering and stocking adequate supplies to support cleaning and disinfection practices.
- O. Ensuring that cleaning and disinfection supplies are used and stored correctly and safely. This includes storing products securely away from children, while ensuring appropriate ventilation so students and staff are not exposed to toxins or fumes.
- P. Placing physical barriers, such as plastic flexible screens, in classrooms, school buses, restrooms and other areas where social distancing cannot be maintained.
- Q. Cleaning and disinfecting a school building after a person has been identified as COVID-19 positive:

The district may need to implement short-term closure procedures in a school regardless of community spread if an infected person has been in a school building. If this happens, the CDC-recommended procedures shall be followed:

1. Close off areas used by a sick person and do not use before cleaning and disinfection;
2. Wait 24 hours before cleaning and disinfecting. If it is not possible to wait 24 hours, wait as long as possible;
3. Open outside doors and windows to increase air circulation in the area; and
4. Cleaning staff will clean and disinfect all areas (e.g., offices, bathrooms, and common areas) used by the ill persons, focusing especially on frequently touched surfaces.

Additional training shall be provided to the personnel responsible for cleaning and sanitizing school buses and facilities as necessary. Topics may include proper use of cleaning and disinfecting agents, the cleaning schedule for various surfaces, and safety precautions that need to be taken (e.g., ensuring adequate ventilation while cleaning and sanitizing).

Safe Drinking Water

OPERATION AND MAINTENANCE OF PLANT (continued)

The board of education shall assure the availability of potable drinking water through sanitary means in school facilities or upon school grounds in accordance with the Safe Drinking Water Act (N.J.S.A. 58:12A-1 et seq., N.J.A.C. 6A:26-6, and N.J.A.C. 7:10 et seq.). In accordance with law and board policy 3516 Safety, the board shall test all drinking water outlets, make the results publicly available and notify parents/guardians and the New Jersey Department of Education.

The board of education directs the chief school administrator to ensure the development of lead sampling plan with sample collection is consistent with the district's Quality Assurance Project Plan (QAPP) and to ensure that QAPP is signed by the laboratory certified to sample the district's water, the individual responsible for conducting the sampling and is presented to the board for signature.

Within 24-hours after the board has reviewed and verified the final laboratory results of the sampling, the board shall ensure that test results are publicly available at the school facility and on the board's website. If any laboratory results exceed the permissible lead action level, the board shall provide written notification to the parents/guardians of all students attending that facility as well as to the Department of Education. The notice must include measures taken to curtail immediately the use of any drinking water outlet where lead levels exceed the permissible action level, measures taken to ensure that alternate drinking water is available to all students and staff, and information regarding the health effects of lead.

Within six years of the adoption of this policy, and within each six-year period thereafter, the board must test all drinking water outlets; sampling shall be prioritized in facilities previously identified with excessive lead results or identified as high risk in the sampling plan.

Annually, the board must submit to the Department of Education, a statement of assurance that lead testing was completed in accordance with existing Department of Education regulations and that where required, alternate drinking water is available to students and staff.

Integrated Pest Management

The New Jersey School Integrated Pest Management Act of 2002 requires schools to implement a school integrated pest management policy. As per this policy, the board and the chief school administrator shall implement Integrated Pest Management (IPM) procedures to control pests and minimize exposure of children, faculty, and staff to pesticides. \_\_\_\_\_ (insert school name) shall develop and maintain an IPM plan as part of the school's policy.

Integrated Pest Management Procedures in Schools

Implementation of IPM procedures will determine when to control pests and whether to use mechanical, physical, cultural, biological or chemical methods. Applying IPM principles prevents unacceptable levels of pest damage by the most economical means and with the least possible hazard to people, property, and the environment.

Each school shall consider the full range of management options, including no action at all. Non-pesticide pest management methods are to be used whenever possible. The choice of using a pesticide shall be based on a review of all other available options and a determination that these options are not effective or not reasonable. When it is determined that a pesticide must be used, low impact pesticides and methods are preferred and shall be considered for use first.

Development of IPM plans

The school IPM plan is a blueprint of how \_\_\_\_\_ (insert school name) will manage pests through

OPERATION AND MAINTENANCE OF PLANT (continued)

IPM methods. The school's IPM plan states the school's goals regarding the management of pests and the use of pesticides. It reflects the school's site-specific needs. The IPM plan shall provide a description of how each component of the school IPM policy will be implemented at the school. The chief school administrator, in collaboration with the school building administrator, shall be responsible for the development of the IPM plan for this school.

IPM Coordinator

The \_\_\_\_\_ (insert as appropriate, either local school board, chief school administrator or principal) shall designate an integrated pest management coordinator, who is responsible for the implementation of the school integrated pest management policy.

Education/Training

The school community will be educated about potential pest problems and IPM methods used to achieve the pest management objectives.

The IPM coordinator, other school staff and pesticide applicators involved with implementation of the school IPM policy will be trained in appropriate components of IPM as it pertains to the school environment.

Students, parents/guardians will be provided information on this policy and instructed on how they can contribute to the success of the IPM program.

Record Keeping

Records of pesticide use shall be maintained on site to meet the requirements of the state regulatory agency and the school board.

Records shall also include, but are not limited to, pest surveillance data sheets and other non-pesticide pest management methods and practices utilized.

Notification/Posting

The \_\_\_\_\_ (insert as appropriate, either local school board, board of trustees, chief school administrator, or principal) of \_\_\_\_\_ p\_ (insert school name), is responsible for timely notification to students' parents or guardians and the school staff of pesticide treatments pursuant to the School IPM Act.

Re-entry

Re-entry to a pesticide treated area shall conform to the requirements of the School IPM Act.

Pesticide applicators

The IPM coordinator shall ensure that applicators follow state regulations, including licensing requirements and label precautions, and must comply with all components of the School IPM Policy.

Evaluation

Annually, for public schools, the chief school administrator will report to the board on the effectiveness of the IPM plan and make recommendations for improvement as needed. The board directs the chief school administrator to develop regulations/procedures for the implementation of this policy.

OPERATION AND MAINTENANCE OF PLANT (continued)

Adopted:

NJSBA Review/Update: July 2020

Readopted: August 11, 2020

Key Words

Operation and Maintenance of Plant, Buildings and Grounds, Maintenance

|                          |                                    |   |
|--------------------------|------------------------------------|---|
| <b>Legal References:</b> | <u>N.J.S.A. 10:5-1 et seq.</u>     | Law Against Discrimination  |
|                          | <u>N.J.S.A. 13:1F-19</u>           |   |
|                          | through -33                        | <u>School Integrated Pest Management Act</u>                          |
|                          | <u>N.J.S.A. 18A:17-49</u>          |   |
|                          | through -52                        | Buildings and grounds supervisors to be certified                     |
|                          | <u>N.J.S.A. 18A:18A-1 et seq.</u>  | Public schools contracts law  |
|                          | <u>N.J.S.A. 18A:18A-37</u>         | Award of purchases, contracts, agreements                             |
|                          | <u>N.J.S.A. 18A:22-8</u>           | Contents of budget; format  |
|                          | <u>N.J.S.A. 34:5A-1 et seq.</u>    | <u>Worker and Community Right to Know Act</u>                         |
|                          | <u>N.J.S.A. 34:6A-25 et seq.</u>   | <u>New Jersey Public Employees Occupational Safety and Health Act</u> |
|                          | <u>N.J.S.A. 34:11-56a et seq.</u>  | <u>New Jersey Wage and Hour Law</u>                                   |
|                          | <u>N.J.S.A. 58:12A-1 et seq.</u>   | <u>Safe Drinking Water Act</u>  |
|                          | <u>N.J.A.C. 5:23-1 et seq.</u>     | The uniform construction code   |
|                          | <u>N.J.A.C. 6A:23A-1 et seq.</u>   | Fiscal accountability, efficiency and budgeting procedures            |
|                          | See Particularly:                  | Facilities maintenance and repair schedule and accounting             |
|                          | <u>N.J.A.C. 6A:23A-6.9</u>         | Operation and Maintenance of Facilities                               |
|                          | <u>N.J.A.C. 6A:26-12.1 et seq.</u> |   |
|                          | See particularly:                  |   |
|                          | <u>N.J.A.C. 6A:26-12.2(a)1, 2</u>  | Safe drinking water   |
|                          | <u>N.J.A.C. 6A:26-12.4</u>         | Evaluation of the Performance of School Districts                     |
|                          | <u>N.J.A.C. 6A:30-1.1 et seq.</u>  | Safe Drinking Water Act   |
|                          | <u>N.J.A.C. 7:10-1 et seq.</u>     | Integrated Pest Management  |
|                          | <u>N.J.A.C. 7:30-13.1 et seq.</u>  |   |
|                          | 20 <u>U.S.C.A. 4071 et seq.</u>    | <u>Equal Access Act</u>   |
|                          | 29 <u>U.S.C.A. 201 et seq.</u>     | <u>Fair Labor Standards Act</u>                                       |
|                          | 42 <u>U.S.C.A. 12101 et seq.</u>   | <u>Americans with Disabilities Act (ADA)</u>                          |

International Building Code 2015, New Jersey Edition; First Printing: September 2015; ISBN: 978-1-60983-156-1; Copyright 2015, International Code Council, Inc.

The NJDOE Guidance: *The Road Back: Restart and Recovery* at:  
<https://www.nj.gov/education/reopening/>

CDC Guidance: *CDC Activities and Initiatives Supporting the COVID-19 Response and the President's Plan for Opening America Up Again* (May 2020) at:  
<https://www.cdc.gov/coronavirus/2019-ncov/downloads/php/CDC-Activities-Initiatives-for-COVID-19-Response.pdf>

OPERATION AND MAINTENANCE OF PLANT (continued)

CDC Guidance: *Coronavirus Disease 2019 (COVID-19) Considerations for Schools* at:  
<https://www.cdc.gov/coronavirus/2019-ncov/community/schools-childcare/schools.html>

CDC Guidance: *What Bus Transit Operators Need to Know about COVID-19* at:  
<https://www.cdc.gov/coronavirus/2019-ncov/community/organizations/bus-transit-operator.html>

CDC Guidance: *Schools During the COVID-19 Pandemic* at  
<https://www.cdc.gov/coronavirus/2019-ncov/community/schools-childcare/Schools-Decision-Tree.pdf>

**Possible**

|                                 |            |  |
|---------------------------------|------------|--|
| <b><u>Cross References:</u></b> | *1410      | Local units  |
|                                 | *2240      | Research, evaluation and planning  |
|                                 | *3000/3010 | Concepts and roles in business and noninstructional operations; goals and objectives |
|                                 | *3516      | Safety   |
|                                 | *5141      | Health   |
|                                 | 6161       | Equipment, books and materials   |
|                                 | *7110      | Long-Range facilities planning   |
|                                 | *9130      | Committees   |

\*Indicates policy is included in the Critical Policy Reference Manual.